

2009-10 Lorain County Schools Elyria, OH

October 13, 2009

Contents


1	Lifetime & Past 30 Days Frequency of Use Across Years	1
2	Perceived Risk of Use	28
3	Parental Disapproval of Use	33
4	Average Age of First Use	37
5	Protective and Risk Factors	42

1 Lifetime & Past 30 Days Frequency of Use Across Years

The first set of graphs present data on the frequency of use. For the each drug, there is a chart reporting *Lifetime Use* (the percentage of students who reported any use in their lifetime) and *Past 30 Days Use* (the percentage of students who reported use in the past 30 days).

Lifetime Use of Smokeless Tobacco


Figure 1: Lifetime Use of Smokeless Tobacco



Source: PRIDE Survey

Lifetime Use of Cigarettes


Figure 2: Lifetime Use of Cigarettes



Source: PRIDE Survey


Lifetime Use of Alcohol

Figure 3: Lifetime Use of Alcohol




Source: PRIDE Survey

Lifetime Use of Inhalants



Source: PRIDE Survey


Lifetime Use of Cocaine



Source: PRIDE Survey

Lifetime Use of Marijuana


Figure 6: Lifetime Use of Marijuana



Source: PRIDE Survey


Lifetime Use of Heroin

Figure 7: Lifetime Use of Heroin



Source: PRIDE Survey


Lifetime Use of Hallucinogens



Source: PRIDE Survey

Lifetime Use of Ecstasy


Figure 9: Lifetime Use of Ecstasy



Source: PRIDE Survey

Lifetime Use of Methamphetamines


Figure 10: Lifetime Use of Methamphetamines



Source: PRIDE Survey


Lifetime Use of Prescription Pain Relievers (Vicodin, Oxycontin, ...)

Figure 11: Lifetime Use of Prescription Pain Relievers (Vicodin, Oxycontin, ...)



Source: PRIDE Survey


Lifetime Use of Prescription Tranquilizers (Xanax, Valium, ...)



Source: PRIDE Survey


Lifetime Use of Prescription Stimulants (Ritalin, Adderall, ...)

Figure 13: Lifetime Use of Prescription Stimulants (Ritalin, Adderall, ...)




Source: PRIDE Survey

Past 30 Day Use of Smokeless Tobacco



Source: PRIDE Survey

Past 30 Day Use of Cigarettes




Source: PRIDE Survey

Past 30 Day Use of Alcohol



Source: PRIDE Survey


Past 30 Day Use of Inhalants



Source: PRIDE Survey

Past 30 Day Use of Cocaine


Figure 18: Past 30 Day Use of Cocaine



Source: PRIDE Survey

Past 30 Day Use of Marijuana


Figure 19: Past 30 Day Use of Marijuana



Source: PRIDE Survey

Past 30 Day Use of Heroin


Figure 20: Past 30 Day Use of Heroin



Source: PRIDE Survey

Past 30 Day Use of Hallucinogens


Figure 21: Past 30 Day Use of Hallucinogens



Source: PRIDE Survey

Past 30 Day Use of Ecstasy


Figure 22: Past 30 Day Use of Ecstasy



Source: PRIDE Survey


Past 30 Day Use of Methamphetamines

Figure 23: Past 30 Day Use of Methamphetamines




Source: PRIDE Survey

Past 30 Day Use of Prescription Pain Relievers (Vicodin, Oxycontin, ...)




Past 30 Day Use of Prescription Tranquilizers (Xanax, Valium, ...)



Source: PRIDE Survey

Past 30 Day Use of Prescription Stimulants (Ritalin, Adderall, ...)

Figure 26: Past 30 Day Use of Prescription Stimulants (Ritalin, Adderall, ...)




Source: PRIDE Survey

2 Perceived Risk of Use

The second set of graphs present data on the perceived risk of drugs. Each graph presents the percent of students who think that people put themselves at *Moderate Risk* or *Great Risk* if they smoke one or more packs of cigarettes per day, try marijuana once or twice, smoke marijuana regularly, or take one or two drinks of an alcoholic beverage nearly every day.

Smoke One or More Packs of Cigarettes per Day


Moderate Risk or Great Risk



Source: PRIDE Survey

Take 1 or 2 Drinks of an Alcoholic Beverage Nearly Every Day


Moderate Risk or Great Risk



Source: PRIDE Survey


Try Marijuana Once or Twice

Moderate Risk or Great Risk



Source: PRIDE Survey

Smoke Marijuana Regularly Moderate Risk or Great Risk




Source: PRIDE Survey

3 Parental Disapproval of Use

The third set of graphs present data on the student's perception of their parents disapproval of using drugs. Each graph presents the percent of students who think that their parents would feel it is *Wrong* or *Very Wrong* for the student to drink alcohol, smoke cigarettes or smoke marijuana.

Perception of Parental Disapproval of Smoking Cigarettes


Wrong or Very Wrong



Source: PRIDE Survey

Perception of Parental Disapproval of Drinking Alcohol


Wrong or Very Wrong



Source: PRIDE Survey

Perception of Parental Disapproval of Smoking Marijuana

Wrong or Very Wrong




Source: PRIDE Survey

4 Average Age of First Use

The fourth set of graphs present data on the average age of first use of cigarettes, alcohol and marijuana for those students who report using.

Avg Age of First Use for Smoked a Cigarette


Figure 34: Avg Age of First Use for Smoked a Cigarette



Source: PRIDE Survey

Avg Age of First Use for Drank Alcohol


Figure 35: Avg Age of First Use for Drank Alcohol



Source: PRIDE Survey

Avg Age of First Use for Drank Alcohol Regularly (1-2 Times/Month)


Figure 36: Avg Age of First Use for Drank Alcohol Regularly (1-2 Times/Month)



Source: PRIDE Survey

Avg Age of First Use for Smoked Marijuana

Figure 37: Avg Age of First Use for Smoked Marijuana




Source: PRIDE Survey

5 Protective and Risk Factors

The fifth set of graphs present data on protective and risk factor scores across years for the domain groups of community, family, school and peer-individual.

Community Opportunities for Prosocial Involvement


Protective Factor - Community Domain



Source: PRIDE Survey

Community Rewards for Prosocial Involvement

Protective Factor - Community Domain




Source: PRIDE Survey

Family Attachment

Protective Factor - Family Domain

Figure 40: Family Attachment



Source: PRIDE Survey

Family Opportunities for Prosocial Involvement


Protective Factor - Family Domain



Source: PRIDE Survey

Family Rewards for Prosocial Involvement

Protective Factor - Family Domain




Source: PRIDE Survey

School Opportunities for Prosocial Involvement

Protective Factor - School Domain


Figure 43: School Opportunities for Prosocial Involvement




Source: PRIDE Survey

School Rewards for Prosocial Involvement

Protective Factor - School Domain




Source: PRIDE Survey



Source: PRIDE Survey

Social Skills


Protective Factor - Peer-Individual Domain



Source: PRIDE Survey

Belief in the Moral Order

Protective Factor - Peer-Individual Domain




Source: PRIDE Survey


Low Neighborhood Attachment

Risk Factor - Community Domain

Figure 48: Low Neighborhood Attachment




Source: PRIDE Survey



Source: PRIDE Survey

Community Transitions and Mobility


Risk Factor - Community Domain



Source: PRIDE Survey

Laws and Norms Favorable to Drug Use and Firearms


Risk Factor - Community Domain



Source: PRIDE Survey

Perceived Availability of Drugs and Firearms


Risk Factor - Community Domain



Source: PRIDE Survey

Poor Family Supervision Risk Factor - Family Domain

Figure 53: Poor Family Supervision




Source: PRIDE Survey

Poor Family Discipline

Risk Factor - Family Domain


Figure 54: Poor Family Discipline



Source: PRIDE Survey

Family History of Antisocial Behavior


Risk Factor - Family Domain



Source: PRIDE Survey

Parental Attitudes Favorable Toward ATOD Use


Risk Factor - Family Domain




Source: PRIDE Survey

Parental Attitudes Favorable Toward Antisocial Behavior


Risk Factor - Family Domain




Source: PRIDE Survey



Source: PRIDE Survey




Source: PRIDE Survey



Friends Delinquent Behavior

Risk Factor - Peer-Individual Domain



Source: PRIDE Survey

Friends Use of Drugs


Risk Factor - Peer-Individual Domain



Source: PRIDE Survey

Peer Rewards for Antisocial Behavior


Risk Factor - Peer-Individual Domain



Source: PRIDE Survey

Favorable Attitudes toward Antisocial Behavior

Risk Factor - Peer-Individual Domain



Source: PRIDE Survey

Favorable Attitudes Toward Drug Use

Risk Factor - Peer-Individual Domain




Source: PRIDE Survey

Perceived Risks of Drug Use

Risk Factor - Peer-Individual Domain


Figure 66: Perceived Risks of Drug Use




Source: PRIDE Survey

Early Initiation of Drug Use and Antisocial Behavior


Risk Factor - Peer-Individual Domain



Source: PRIDE Survey



Source: PRIDE Survey



Source: PRIDE Survey